

BOSS

SECTION 1. IDENTIFICATION

| | |
|---|--|
| Product Identifier | BOSS |
| Other Means of Identification | Griddle, fryer and oven cleaner |
| Product Family | Concentrate to be diluted |
| Restrictions on Use | For industrial/professional use only. |
| Manufacturer/Supplier Identifier | Groupe Parall Inc. 3492 Av. François-Hughes Laval, Québec, H7L 5A9 Canada 450-687-6666 or/ou 1-800-661-6660 www.parall.ca |
| Emergency Phone No. | not available |

SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015).

Classification

Corrosive to metals - Category 1; Skin corrosion - Category 1; Serious eye damage - Category 1; Hazard Not Otherwise Classified (HNOC)

Label Elements



Signal Word:

Danger

Hazard Statement(s):

Causes severe skin burns and eye damage.

May be corrosive to metals.

Precautionary Statement(s):

Prevention:

Keep only in original packaging.

Do not breathe dusts or mists.

Wash hands and skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Absorb spillage to prevent material damage.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTRE or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTRE or doctor

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Immediately call a POISON CENTRE or doctor.

Storage:

Store locked up.

Store in corrosion resistant container with a resistant inner liner.

Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

Other Hazards

May be harmful if swallowed.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

| Chemical Name | CAS No. | % | Other Identifiers | Other Names |
|------------------|-----------|-------|-------------------|--------------|
| Sodium hydroxide | 1310-73-2 | 10-30 | none | Caustic soda |

Notes

Concentrations are expressed in % weight/weight.

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. Keep at rest in a position comfortable for breathing. Immediately call a Poison Centre or doctor.

Skin Contact

Take off immediately contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Immediately rinse skin with lukewarm, gently flowing water for at least 30 minutes. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely. Immediately call a Poison Centre or doctor.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for at least 30 minutes, while holding the eyelid(s) open. Immediate medical attention is required. Immediately call a Poison Centre or doctor.

Ingestion

Immediate medical attention is required. Do not induce vomiting. Rinse mouth with water. Immediately call a Poison Centre or doctor.

First-aid Comments

None other.

Most Important Symptoms and Effects, Acute and Delayed

If swallowed: can burn the lips, tongue, throat and stomach.

If inhaled and/or swallowed: at high concentrations may irritate or burn the respiratory tract and in the most severe cases cause pulmonary edema.

If on skin: may cause moderate to severe irritation. Symptoms include pain, redness, and swelling. Repeated or prolonged exposure can irritate or burn the skin.

If in eyes: causes serious eye damage symptoms include sore, red eyes, and tearing. May cause serious eye damage. May irritate or burn the eyes. Permanent damage including blindness may result.

Immediate Medical Attention and Special Treatment

Target Organs

No further relevant information available.

Special Instructions

Not applicable.

Product Identifier: BOSS - Ver. 1

SDS No.: 0019

Date of Preparation:

Date of Last Revision: février 20, 2019

Page 02 of 07

Medical Conditions Aggravated by Exposure

None known.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

Water. Do not use water jet as an extinguisher, as this will spread the fire.

Specific Hazards Arising from the Product

Heating increases the release of toxic vapour.

Not known to generate any hazardous decomposition products in a fire.

Special Protective Equipment and Precautions for Fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. No special precautions are necessary.

No further information are available.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Use personal protective equipment. Follow handling tips and recommendations for protective gear. Do not touch damaged containers or spilled product unless wearing appropriate protective equipment.

Environmental Precautions

Do not allow into any sewer, on the ground or into any waterway. Notify local authorities if significant leaks can not be contained.

Methods and Materials for Containment and Cleaning Up

Absorb with vermiculite, dry sand or soil. Place used absorbent into suitable, covered, labelled containers for disposal. Store recovered product in suitable containers that are: corrosion-resistant. Clean and rinse contaminated surfaces with water.

Other Information

None other.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment to avoid direct contact with this chemical. Wash hands thoroughly after handling. General Hygiene: When using do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Take off all contaminated clothing and wash it before reuse. Keep the container tightly closed. Avoid inhaling vapours or fumes from this product.

Conditions for Safe Storage

Keep in a restricted area for personnel only (locked up) keep away from heat and frost. Out of direct sunlight store in the original, labelled, shipping container. Store in an area that is: strong acids (e.g. hydrochloric acid), organic acids (e.g. acetic acid), Urea, Oxidizing agents (e.g. peroxides), and some metal (ref section 10).

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product Identifier: BOSS - Ver. 1
Date of Preparation:
Date of Last Revision: février 20, 2019

SDS No.: 0019

Page 03 of 07

Control Parameters

| Chemical Name | ACGIH® TLV® | | OSHA PEL | | AIHA® WEEL® | |
|------------------|-------------|----------|----------|---------|-------------|--------------------|
| | TWA | STEL [C] | TWA | Ceiling | 8-hr TWA | Short-term TWA [C] |
| Sodium hydroxide | | 2 mg/m3 | 2 mg/m3 | | | |

Consult local authorities for provincial exposure limits.

Appropriate Engineering Controls

Local and general explosion-proof exhaust ventilation. Good general ventilation should be used (usually 10 air changes / hour). If necessary, use isolation or other enclosures to maintain airborne concentrations below the recommended exposure limits. In a confined space: provide eyewash and safety shower if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.
Suitable materials are: rubber or nitrile.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. General Hygiene: When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Take off all contaminated clothing and wash it before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

| | |
|--|--|
| Appearance | Clear colourless liquid. |
| Odour | Odourless |
| Odour Threshold | Not available |
| pH | 12.8 |
| Melting Point/Freezing Point | Not applicable (melting); Not available (freezing) |
| Initial Boiling Point/Range | 107 °C |
| Flash Point | Not applicable |
| Evaporation Rate | Not available |
| Flammability (solid, gas) | Not applicable |
| Upper/Lower Flammability or Explosive Limit | Not applicable (upper); Not applicable (lower) |
| Vapour Pressure | Not applicable |
| Vapour Density (air = 1) | Not available |
| Relative Density (water = 1) | 1.230 |
| Solubility | Miscible in any proportion in water |
| Partition Coefficient, n-Octanol/Water (Log Kow) | Not available |
| Auto-ignition Temperature | Not applicable |
| Decomposition Temperature | Not available |
| Viscosity | Not available (kinematic); Not available (dynamic) |

Other Information

Product Identifier: BOSS - Ver. 1

SDS No.: 0019

Date of Preparation:

Date of Last Revision: février 20, 2019

Page 04 of 07

SECTION 10. STABILITY AND REACTIVITY**Reactivity**

No data available.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Reacts violently in the presence of acidic conditions (low pH).

Conditions to Avoid

Do not mix with other chemicals.

Incompatible Materials

Ammonia, strong acids (e.g. hydrochloric acid), organic acids (e.g. acetic acid). Urea, oxidizing agents (e.g. peroxides). Corrosive to: aluminium, aluminium alloys, copper, copper alloys, (e.g. brass and/or bronze), nickel, iron, manganese.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

SECTION 11. TOXICOLOGICAL INFORMATION

Information presented below is for the entire product, unless otherwise specified.

ATE = Acute toxicity estimates. Calculate by Canwrite function as per 5th revised edition of the GHS purple book (Chapter 3.1).

Likely Routes of Exposure

Skin contact; eye contact; inhalation; ingestion.

Acute Toxicity

| Chemical Name | LC50 | LD50 (oral) | LD50 (dermal) |
|------------------|---------------|---------------|---------------|
| Sodium hydroxide | Not available | Not available | Not available |

LC50: No information was located.

LD50 (oral): No information was located.

Sodium hydroxide:

HSDB Chemical Name SODIUM HYDROXIDE

Last Revision Date 2012/04/26

Skin Corrosion/Irritation

Avoid contact with skin. Corrosive. Contact with skin may cause severe irritation and burns.

Serious Eye Damage/Irritation

May irritate or burn the eyes. Permanent damage including blindness may result.

STOT (Specific Target Organ Toxicity) - Single Exposure**Inhalation**

Inhalation of high concentration of mist may cause severe irritation or burns to the respiratory tract.

Ingestion

May be harmful if swallowed. Ingestion causes acute irritation and burns to the mucous membranes of the mouth, trachea, esophagus and stomach.

Aspiration Hazard

Aspiration of high concentration of mist may cause severe irritation or burns to the respiratory tract and in the most severe cases cause pulmonary edema.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

Based on ingredient. (Potassium hydroxide) repeated or prolonged skin contact to dilute solutions is expected to cause drying, cracking, and inflammation of the skin (dermatitis).

Product Identifier: BOSS - Ver. 1

SDS No.: 0019

Date of Preparation:

Date of Last Revision: février 20, 2019

Page 05 of 07

Respiratory and/or Skin Sensitization

No information was located.

Carcinogenicity

No information was located.

Reproductive Toxicity**Development of Offspring**

No information was located.

Sexual Function and Fertility

No information was located.

Effects on or via Lactation

No information was located.

Germ Cell Mutagenicity

No information was located.

Interactive Effects

No information was located.

Other Information

Sources for toxicity values:
RTECS updated june 2018
CHEMINFO database

SECTION 12. ECOLOGICAL INFORMATION

Environmental information was not located.

Ecotoxicity

No information was located.

Persistence and Degradability

No information was located.

Bioaccumulative Potential

No information was located.

Mobility in Soil

No information was located.

Other Adverse Effects

There is no information available.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal Methods**

Empty containers retain product residue. Follow label warnings even if container appears to be empty. Do not reuse empty containers.

Dispose of or recycle empty containers through an approved waste management facility.

SECTION 14. TRANSPORT INFORMATION

| Regulation | UN No. | Proper Shipping Name | Transport Hazard Class(es) | Packing Group |
|--------------|--------|--|----------------------------|---------------|
| Canadian TDG | 1760 | Corrosive liquid N.O.S (Potassium hydroxide) | 8 | III |

Special Precautions Please note: Limited quantity 5L

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

This section is not required by WHMIS.

SECTION 16. OTHER INFORMATION

SDS Prepared By Groupe Parall Inc. Technical services

Date of Last Revision février 20, 2019

Revision Indicators The following SDS content was changed on février 12, 2019:
SECTION 11. TOXICOLOGICAL INFORMATION; LC50/LD50 values.

Key to Abbreviations

LC 50 = Létal concentration

LD 50 = Létal dose

PEL= Permissible exposure limit. (OSHA HCS limit)

TLV = Threshold Limit Value (ACGIH limit)

TWA = Time-Weighted Average

STEL [C] = Short Term Exposure Limit [ceiling]

OSHA = Occupational Safety and Health Administration (United States)

ACGIH® - American Conference of Governmental Industrial Hygienists

AIHA® = AIHA® Guideline Foundation

HSDB® = Hazardous Substances Data Bank

IARC = International Agency for Research on Cancer

NIOSH = National Institute for Occupational Safety and Health

NTP = National Toxicology Program

RTECS® = Registry of Toxic Effects of Chemical Substances

CNESST = Committee on Standards, Equity, Health and Safety at Work (Quebec)

References

CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).

HSDB® database. US National Library of Medicine. Available from Canadian Centre for Occupational Health and Safety (CCOHS).

NIOSH Pocket Guide database. National Institute for Occupational Safety and Health.

Available from Canadian Centre for Occupational Health and Safety (CCOHS).

Registry of Toxic Effects of Chemical Substances (RTECS®) database. Dassault

Systèmes/BIOVIA ("BIOVIA"). Available from Canadian Centre for Occupational Health and Safety (CCOHS).

Manufacturer datasheets

CNESST site: www.csst.qc.ca/en/prevention/reptox.

Disclaimer

The information in this safety data sheet are, to our knowledge, according to our information and belief, accurate at the date of publication. This information is provided as a guide for the safe handling, use, processing, storage, transportation, disposal and disposal of the product, and should not be considered as any guarantee or quality standard. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Product Identifier: BOSS - Ver. 1

SDS No.: 0019

Date of Preparation:

Date of Last Revision: février 20, 2019

Page 07 of 07